
Wiring Diagrams

Sections I, II, III & IV


PRIMARY: 240 X 480 SECONDARY: 120/240 TAPS: None



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
480	H1-H4	H2 to H3	
240	H1-H3 & H2-H4		
Secondar	y Volts	•	
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3	X1-X4


X2 to X4

PRIMARY: 240 X 480 SECONDARY: 120/240 TAPS: None




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To				
480	H1-H4	H2 to H3					
240	H1-H3 & H2-H4						
Secondar	Secondary Volts						
240		X2 to X3	X1-X4				
120/240		X2 to X3	X1-X2-X4				
120		X1 to X3 X2 to X4	X1-X4				

PRIMARY: 240 X 480 SECONDARY: 120/240 2, 21/2% ANFC, 2, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
216	H1-H10	H1 to H9 H10 to H2	
228	H1-H10	H1 to H8 H10 to H3	
240	H1-H10	H1 to H7 H10 to H4	
252	H1-H10	H1 to H6 H10 to H5	
432	H1-H10	H2 to H9	
444	H1-H10	H3 to H9	
456	H1-H10	H3 to H8	
468	H1-H10	H4 to H8	
480	H1-H10	H4 to H7	
492	H1-H10	H5 to H7	
504	H1-H10	H5 to H6	
Secondary	y Volts		
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X3-X4
120		X1 to X3 X2 to X4	X1-X4

PRIMARY: 240 X 480 SECONDARY: 120/240 TAPS: 2, 21/2% ANFC, 2, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
216	H1-H4	H1, H3, 8 & H2, H4, 1	
228	H1-H4	H1, H3, 7 & H2, H4, 2	
240	H1-H4	H1, H3, 6 & H2, H4, 3	
252	H1-H4	H1, H3, 5 & H2, H4, 4	
432	H1-H4	H2, 1 & H3, 8	
444	H1-H4	H2, 2 & H3, 8	
456	H1-H4	H2, 2 & H3, 7	
468	H1-H4	H2, 3 & H3, 7	
480	H1-H4	H2, 3 & H3, 6	
492	H1-H4	H2, 4 & H3, 6	
504	H1-H4	H2, 4 & H3, 5	
Secondar	y Volts		
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3 X2 to X4	X1-X4

3 PRIMARY: 240 X 480 SECONDARY: 120/240 TAPS: 2, 21/2% ANFC, 2, 21/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
252	H1-H8	H1 to H5 H4 to H8	
240	H1-H7	H1 to H5 H3 to H7	
228	H1-H6	H1 to H5 H2 to H6	
504	H1-H8	H4 to H5	
492	H1-H8	H3 to H5	
480	H1-H7	H3 to H5	
468	H1-H7	H2 to H5	
456	H1-H6	H2 to H5	
Secondar	y Volts	•	•
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3 X2 to X4	X1-X4


PRIMARY: 208 SECONDARY: 120/240 TAPS: 2, 5% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
208	H1 & H4		
198	H1 & H3		
187	H1 & H2		
Secondary	y Volts		
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3 X2 to X4	X1-X4

ACME® TRANSFORMER™ WIRING DIAGRAMS

PRIMARY: 277 SECONDARY: 120/240 TAPS: 2, 5% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To	
277	H1 & H4			
263	H1 & H3			
250	H1 & H2			
Secondar	y Volts			
240		X2 to X3	X1-X4	
120/240		X2 to X3	X1-X2-X4	
120		X1 to X3	X1-X4	

X2 to X4


X1-X4

PRIMARY: 600 SECONDARY: 120/240 TAPS: None



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To		
600	H1-H2				
Secondary Volts					
240		X2 to X3	X1-X4		
120/240		X2 to X3	X1-X2-X4		
120		X1 to X3 X2 to X4	X1-X4		


PRIMARY: 600 SECONDARY: 120/240 TAPS: None



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To			
600	H1-H2					
Secondary Volts						
240		X2 to X3	X1-X4			
120/240		X2 to X3	X1-X2-X4			
120		X1 to X3 X2 to X4	X1-X4			

PRIMARY: 600 **SECONDARY: 120/240** TAPS: 2, 5% BNFC


120



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
600	H1-H4		
570	H1-H3		
540	H1-H2		
Secondary Volts			

Secondary Volts					
240		X2 to X3	X1-X4		
120/240		X2 to X3	X1-X2-X4		
120		X1 to X3 X2 to X4	X1-X4		

PRIMARY: 600 SECONDARY: 120/240 TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
540	H1-H2	1-6	
555	H1-H2	1-5	
570	H1-H2	2-6	
585	H1-H2	2-5	
600	H1-H2	3-5	
615	H1-H2	2-4	
635	H1-H2	3-4	
Secondar	y Volts		

Secondary Volts					
240		X2 to X3	X1-X4		
120/240		X2 to X3	X1-X2-X4		
120		X1 to X3 X2 to X4	X1-X4		

PRIMARY: 240 SECONDARY: 120/240 TAPS: None

Primary



Connect


Secondary

Volts	Lines Io	Connect	Lines Io		
240	1-3				
Secondary Volts					
240			1-3		
120			1-2 or 2-3		
120/240			1-2-3		

Inter-


EXPORT MODEL PRIMARY: 190-220 x 380-440 SECONDARY: 120/240

Primary



	X4	X1	
Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
190	H1 & H7	H1 to H6 H2 to H7	
200	H1 & H8	H1 to H6 H3 to H8	
208	H1 & H9	H1 to H6 H4 to H9	
220	H1 & H10	H1 to H6 H5 to H10	
380	H1 & H7	H2 & H6	
400	H1 & H8	H3 & H6	
416	H1 & H9	H4 & H6	
440	H1 & H10	H5 & H6	
Secondar	y Volts		
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3 X2 to X4	X1-X4

PRIMARY: 120 x 240 SECONDARY: 120/240 TAPS: None




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
240	H1-H4	H2 to H3	
120	H1-H3 & H2-H4		
Secondar	y Volts		
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3	X1-X4

X2 to X4

X1-X4


120

15 EXPORT MODEL PRIMARY: 190-220 x 380-440 SECONDARY:120/240



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
190	H1 & H4	H1, H3, 8 & H2, H4, 1	
200	H1 & H4	H1, H3, 7 & H2, H4, 2	
208	H1 & H4	H1, H3, 6 & H2, H4, 3	
220	H1 & H4	H1, H3, 5 & H2, H4, 4	
380	H1 & H4	H2, H3, 1, 8	
400	H1 & H4	H2, H3, 2, 7	
416	H1 & H4	H2, H3, 3, 6	
440	H1 & H4	H2, H3, 4, 5	
Secondar	y Volts		
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3 X2 to X4	X1-X4


PRIMARY: 240 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 5% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
240	H1, H2, H3	1	
228	H1, H2, H3	2	
216	H1, H2, H3	3	

Secondary Volts				
208			X1, X2, X3	
120 1 phase			X1 to X0 X2 to X0 X3 to X0	


16 POWER LINE CONDITIONER



Inpu		
Volts	Connect	- & Isolate
120	1, 3, 6, 8 to A 2, 5, 7, 10 to B	4, 9
208	1, 6 to A 4, 9 to B 2, 3 to C 7, 8 to D	5, 10
240	1, 6 to A 5, 10 to B 2, 3 to C 7, 8 to D	4, 9
480	1 to A 10 to B 2, 3 to C 5, 6 to D 7, 8 to E	4, 9
Outp	ut Connections	Output Lines
Volts	Connect	To
120	11 to F 12 to G 14 to H	F, G
120/240	11 to F 12 to G 14 to H	F, G, H
208	11 to F 12 to G 13 to H	F, H
240	11 to F 12 to G 14 to H	F, H


NOTE: To prevent externally shorting, all leads marked "INSULATE" must be individually capped with wire nuts or equivalent. Insulate leads individually!

PRIMARY: 240 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 21/2% ANFC, 2, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
252	H1, H2, H3	1	
246	H1, H2, H3	2	
240	H1, H2, H3	3	
234	H1, H2, H3	4	
228	H1, H2, H3	5	
Secondar	y Volts		
208			X1, X2, X3
120 1 phase			X1 to X0 X2 to X0 X3 to X0

PRIMARY: 208 Volts SECONDARY: 120/240 Volts TAPS:



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
218	H1 & H2	3 to 4	
213	H1 & H2	2 to 4	
208	H1 & H2	3 to 5	
203	H1 & H2	2 to 5	
198	H1 & H2	1 to 5	
192	H1 & H2	2 to 6	
187	H1 & H2	1 to 6	
Secondar	y Volts	•	
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3 X2 to X4	X1-X4


PRIMARY: 380 Volts Delta SECONDARY: 220Y/127 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
399	H1, H2, H3	1	
390	H1, H2, H3	2	
380	H1, H2, H3	3	
371	H1, H2, H3	4	
361	H1, H2, H3	5	
352	H1, H2, H3	6	
342	H1, H2, H3	7	
Secondar	y Volts		
220			X1, X2,X3
407			X1 to X0
127 1 phase			X2 to X0
			X3 to X0


ACME® TRANSFORMER™ WIRING DIAGRAMS

PRIMARY: 480 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 5% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To		
480	H1, H2, H3	1			
456	H1, H2, H3	2			
432	H1, H2, H3	3			
Secondary Volts					
208			X1, X2, X3		
120 1 phase			X1 to X0 X2 to X0		


PRIMARY: 380 Volts Delta 24 SECONDARY: 220Y/127 Volts TAPS: 2, 5% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
380	H1, H2, H3	1	
361	H1, H2, H3	2	
342	H1, H2, H3	3	
Secondar	v Volts		

Secondary Volts					
220			X1, X2, X3		
127 1 phase			X1 to X0 X2 to X0 X3 to X0		

PRIMARY: 480 Volts Delta SECONDARY: 240 Volts Delta/120 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
504	H1, H2, H3	1 to 2	
492	H1, H2, H3	2 to 3	
480	H1, H2, H3	1 to 4	
468	H1, H2, H3	3 to 4	
456	H1, H2, H3	1 to 6	
444	H1, H2, H3	3 to 6	
432	H1, H2, H3	5 to 6	
Secondar	y Volts		
240			X1, X2, X3

X1, X4 or

X2, X4

1 phase

PRIMARY: 480 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
504	H1, H2, H3	1	
492	H1, H2, H3	2	
480	H1, H2, H3	3	
468	H1, H2, H3	4	
456	H1, H2, H3	5	
444	H1, H2, H3	6	
432	H1, H2, H3	7	

Secondary Volts

X3 to X0

208		X1, X2, X3
120 1 phase		X1 to X0 X2 to X0 X3 to X0


PRIMARY: 480 Volts Delta SECONDARY: 240 Volts Delta/120 Volts TAPS: 2, 5% BNFC



Primary Volts	Primary Lines To	Inter- Connect	Secondary Lines To
480	H1, H2, H3	1	
456	H1, H2, H3	2	
432	H1, H2, H3	3	
Secondar	y Volts		
240			X1, X2, X3
120			X1, X4 or X2, X4

PRIMARY: 600 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 5% BNFC

Connect



Primary Volts	Primary Lines To	Inter- Connect	Secondary Lines To
600	H1, H2, H3	1	
570	H1, H2, H3	2	
540	H1, H2, H3	3	
Secondar	y Volts		
208			X1, X2, X3
120			X1 to X0


Connect

X2 to X0

X3 to X0


1 phase

PRIMARY: 120/208/240/277 Volts SECONDARY: 120/240 Volts




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
277	H1, H5		
240	H1, H4		
208	H1, H3		
120	H1, H2		
Secondar	y Volts		
120		X1 to X3	X1-X4
120		X2 to X4	71-74
120/240		X2 to X3	X1-X2-X4
240		X2 to X3	X1-X4

PRIMARY: 480 Volts Delta SECONDARY: 240 Volts Delta/120 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
504	H1, H2, H3	1	
492	H1, H2, H3	2	
480	H1, H2, H3	3	
468	H1, H2, H3	4	
456	H1, H2, H3	5	
444	H1, H2, H3	6	
432	H1, H2, H3	7	
Secondar	y Volts		
240			X1, X2, X3
120			X1, X4 or X2, X4

PRIMARY: 600 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




	X0 X1	X2	Х3
Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
630	H1, H2, H3	1	
615	H1, H2, H3	2	
600	H1, H2, H3	3	
585	H1, H2, H3	4	
570	H1, H2, H3	5	
555	H1, H2, H3	6	
540	H1, H2, H3	7	
Secondar	y Volts		
208			X1, X2, X3
120 1 phase			X1 to X0 X2 to X0

X3 to X0

120

PRIMARY: 600 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
630	H1, H2, H3	1 to 2	
615	H1, H2, H3	2 to 3	
600	H1, H2, H3	1 to 4	
585	H1, H2, H3	3 to 4	
570	H1, H2, H3	1 to 6	
555	H1, H2, H3	3 to 6	
540	H1, H2, H3	5 to 6	

Secondary Volts

208		X1, X2, X3
120 1 phase		X1 to X0 X2 to X0 X3 to X0


PRIMARY: 380 Volts Delta SECONDARY: 208/120 Volts TAPS: 2-21/2% ANFC and BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
399	H1, H2, H3	1	
390	H1, H2, H3	2	
380	H1, H2, H3	3	
371	H1, H2, H3	4	
361	H1, H2, H3	5	
Secondary Volts			


208		X1, X2, X3
120 1 phase		X1 to X0
		X2 to X0
		X3 to X0

PRIMARY: 460 Volts Delta SECONDARY: 460Y/266 Volts TAPS: 2-21/2% ANFC and BNFC



λ0 .	A. I	A2 A3
Primary Volts	%	Connect Leads to Tap No.
483	105	1 to 2
472	102.5	2 to 3
460	100	1 to 4
449	97.5	3 to 4
437	95	4 to 5
Secondary Volts		
460		X1, X2, X3
266 1 phase		X1 & X0 X2 & X0 X3 & X0

PRIMARY: 480 Volts Delta SECONDARY: 480Y/277 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
504	H1, H2, H3	1	
492	H1, H2, H3	2	
480	H1, H2, H3	3	
468	H1, H2, H3	4	
456	H1, H2, H3	5	
444	H1, H2, H3	6	
432	H1, H2, H3	7	
Secondar	v Volts		

Primary

480		X1, X2, X3
277 1 phase		X1 to X0 X2 to X0 X3 to X0


PRIMARY: 460 Volts Delta 34 SECONDARY: 460Y/266 Volts TAPS: 1-5% ANFC and BNFC



Connect Leads


VOITS	%	to lap No.
483	105	1
460	100	2
437	95	3
Secondary Volts		
460		X1, X2, X3
266 1 phase		X1 & X0 X2 & X0 X3 & X0

PRIMARY: 460 Volts Delta SECONDARY: 230Y/133 Volts TAPS: 1-5% ANFC and BNFC



Primary Volts	%	Connect Leads to Tap No.
483	105	1
460	100	2
437	95	3
Secondary Volts		
230		X1, X2, X3
133 1 phase		X1 & X0 X2 & X0 X3 & X0

PRIMARY: 480 Volts Delta SECONDARY: 480Y/277 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




^	J A1	A2	Λ3
Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
504	H1, H2, H3	1 to 2	
492	H1, H2, H3	2 to 3	
480	H1, H2, H3	1 to 4	
468	H1, H2, H3	3 to 4	
456	H1, H2, H3	1 to 6	
444	H1, H2, H3	3 to 6	
432	H1, H2, H3	5 to 6	
Secondar	y Volts		,

480 X1, X2, X3 X1 to X0 277 X2 to X0 1 phase

X3 to X0


PRIMARY: 460 Volts Delta SECONDARY: 460Y/266 Volts TAPS: 2-21/2% ANFC and BNFC



Primary Volts	%	Connect Leads to Tap No.
483	105	1
472	102.5	2
460	100	3
449	97.5	4
437	95	5
Secondary Vol	ts	
460		X1, X2, X3

460	X1, X2, X3
266 1 phase	X1 & X0 X2 & X0 X3 & X0


PRIMARY: 460 Volts Delta SECONDARY: 230Y/133 Volts TAPS: 2-21/2% ANFC and BNFC



Primary Volts	%	Connect Leads to Tap No.
483	105	1
472	102.5	2
460	100	3
449	97.5	4
437	95	5
Secondary Vol	ts	


230	X1, X2, X3	
133 1 phase	X1 & X0 X2 & X0 X3 & X0	

PRIMARY: 460 Volts Delta SECONDARY: 230Y/133 Volts TAPS: 2-21/2% ANFC and BNFC




Primary Volts	%	Connect Leads to Tap No.
483	105	1 to 2
472	102.5	2 to 3
460	100	1 to 4
449	97.5	3 to 4
437	95	4 to 5
Secondary Volts		
230		X1, X2, X3
133 1 phase		X1 & X0 X2 & X0

PRIMARY: 575 Volts Delta SECONDARY: 230Y/133 Volts TAPS: 1-5% ANFC and BNFC




Primary Volts	%	Connect Leads to Tap No.
604	105	1
575	100	2
546	95	3
Secondary Volts		
230		X1, X2, X3
133 1 phase		X1 & X0 X2 & X0 X3 & X0

PRIMARY: 575 Volts Delta SECONDARY: 230Y/133 Volts TAPS: 2-21/2% ANFC and BNFC



Primary Volts	%	Connect Leads to Tap No.	
604	105	1	
589	102.5	2	
575	100	3	
561	97.5	4	
546	95	5	
Secondary Vo	Its		
230		X1, X2, X3	
133 1 phase		X1 & X0 X2 & X0 X3 & X0	

PRIMARY: 575 Volts Delta SECONDARY: 230Y/133 Volts TAPS: 2-21/2% ANFC and BNFC




X3 & X0

X3 & X0

X3 & X0


Primary Volts	%	Connect Leads to Tap No.	
604	105	1 to 2	
589	102.5	2 to 3	
575	100	1 to 4	
561	97.5	3 to 4	
546	95	4 to 5	
Secondary Volts	5		
230		X1, X2, X3	
133 1 phase		X1 & X0 X2 & X0 X3 & Y0	

PRIMARY: 575 Volts Delta SECONDARY: 460Y/266 Volts TAPS: 1-5% ANFC and BNFC




Primary Volts	%	Connect Leads to Tap No.
604	105	1
575	100	2
546	95	3
Secondary Volts		
460		X1, X2, X3
266 1 phase		X1 & X0 X2 & X0 X3 & X0

PRIMARY: 575 Volts Delta SECONDARY: 460Y/266 Volts TAPS: 2-21/2% ANFC and BNFC




Primary Volts	%	Connect Leads to Tap No.	
604	105	1	
589	102.5	2	
575	100	3	
561	97.5	4	
546	95	5	
Secondary Volts			
460		X1, X2, X3	
266 1 phase		X1 & X0 X2 & X0 X3 & X0	

PRIMARY: 575 Volts Delta SECONDARY: 460Y/266 Volts TAPS: 2-21/2% ANFC and BNFC




Primary Volts	%	Connect Leads to Tap No.
604	105	1 to 2
589	102.5	2 to 3
575	100	1 to 4
561	97.5	3 to 4
546	95	4 to 5
Secondary Volts		
460		X1, X2, X3
266 1 phase		X1 & X0 X2 & X0 X3 & X0

PRIMARY: 208 Volts Delta SECONDARY: 480Y/277 Volts TAPS: 2, 21/2% ANFC, 2, 21/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
218	X1, X2, X3	1	
213	X1, X2, X3	2	
208	X1, X2, X3	3	
203	X1, X2, X3	4	
198	X1, X2, X3	5	
Secondar	y Volts		
480			H1, H2, H3
277 1 phase			H1 to H0 H2 to H0 H3 to H0


PRIMARY: 416 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 21/2% ANFC, 2, 21/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To	
437	H1, H2, H3	1		
426	H1, H2, H3	2		
416	H1, H2, H3	3		
406	H1, H2, H3	4		
395	H1, H2, H3	5		
Secondar	Secondary Volts			

	,	
208		X1, X2, X3
120 1 phase		X1 to X0 X2 to X0 X3 to X0






Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
208	X1, X2, X3	1	
198	X1, X2, X3	2	
187	X1, X2, X3	3	
Secondary Volts			

480

480		H1, H2, H3
277 1 phase		H1 to H0 H2 to H0 H3 to H0


PRIMARY: 600 Volts Delta 51 SECONDARY: 480Y/277 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To			
630	H1, H2, H3	1				
615	H1, H2, H3	2				
600	H1, H2, H3	3				
585	H1, H2, H3	4				
570	H1, H2, H3	5				
555	H1, H2, H3	6				
540	H1, H2, H3	7				
Secondar	Secondary Volts					


480		X1, X2, X3
277 1 phase		X1 to X0 X2 to X0 X3 to X0

PRIMARY: 600 Volts Delta 54 SECONDARY: 600Y/347 Volts TAPS: 2, 5% BNFC



Primary		Connect Primary	Inter-	Connect Secondary
	Volts	Lines To	Connect	Lines To
	600	H1, H2, H3	1	
	570	H1, H2, H3	2	
540 H1, H2,		H1, H2, H3	3	
	Secondar	y Volts		
	600			X1, X2, X3
	347			X1 to X0
	1 phase			X2 to X0
	. paso	l	1	X3 to X0


PRIMARY: 600 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 21/2% ANFC, 2, 21/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To		
630	H1, H2, H3	1			
615	H1, H2, H3	2			
600	H1, H2, H3	3			
585	H1, H2, H3	4			
570	H1, H2, H3	5			
Secondary Volts					
200		l	V4 V0 V0		

208		X1, X2, X3
120 1 phase		X1 to X0 X2 to X0 X3 to X0

PRIMARY: 600 Volts Delta SECONDARY: 600Y/347 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
630	H1, H2, H3	1	
615	H1, H2, H3	2	
600	H1, H2, H3	3	
585	H1, H2, H3	4	
570	H1, H2, H3	5	
555	H1, H2, H3	6	
540	H1, H2, H3	7	

Secondary Volts

600		X1, X2, X3
347 1 phase		X1 to X0 X2 to X0 X3 to X0

PRIMARY: 600 Volts Delta SECONDARY: 480Y/277 Volts TAPS: 2, 5% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To	
600	H1, H2, H3	1		
570	H1, H2, H3	2		
540	H1, H2, H3	3		
Secondary Volts				
480			X1, X2, X3	
277			X1 to X0	

X2 to X0

X3 to X0

PRIMARY: 600 Volts Delta SECONDARY: 380Y/220 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC

X	0 X1	X2	хз			
Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To			
630	H1, H2, H3	1				
615	H1, H2, H3	2				
600	H1, H2, H3	3				
585 H1, H2, H3		4				
570	570 H1, H2, H3					
555	H1, H2, H3	6				
540	H1, H2, H3	7				
Secondar	Secondary Volts					
380			X1, X2, X3			

X1 to X0


X2 to X0

X3 to X0

PRIMARY: 600 Volts Delta SECONDARY: 380Y/220 Volts TAPS: 2, 5% BNFC

220

1 phase



Primary Primary Volts Lines To		Inter- Connect	Connect Secondary Lines To
600	H1, H2, H3	1	
570	H1, H2, H3	2	
540	H1, H2, H3	3	
Secondary Volts			
380			X1, X2, X3
220 1 phase			X1 to X0 X2 to X0 X3 to X0

PRIMARY: 600 Volts SECONDARY: 480 Volts TAPS: 2, 5% BNFC



Primary Volts	Alt Rating	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
600	480	H1, H2, H3		
570	456	H4, H5, H6		
540	432	H7, H8, H9		
Seconda	ry Volts			
480	380			X1, X2, X3
277 1 phase	220 1 phase			X1 to X0 X2 to X0 X3 to X0

277

1 phase


X3 to X0

PRIMARY: 600 Volts SECONDARY: 480 Volts TAPS: 2, 5% BNFC




	Primary Volts	Alt Rating	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
	600	480	H1, H2, H3	1	
	570	456	H1, H2, H3	2	
	540	432	H1, H2, H3	3	
Secondary Volts					
	480	380			X1, X2, X3
	277 1 phase	220 1 phase			X1 to X0 X2 to X0 X3 to X0

PRIMARY: 208 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2-5% BNFC




Primary Volts	%	Connect Leads to Tap No.
208	100	1
198	95	2
187	90	3
Secondary Volts		
208		X1, X2, X3
120 1 phase		X1 & X0 X2 & X0 X3 & X0

PRIMARY: 120/208/240/277 Volts SECONDARY: 120/240 Volts




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
120	H1 & H8	H1 to H6 H3 to H8	
208	H1 & H8	H2 to H7	
240	H1 & H8	H3 to H6	
277	H1 & H8	H4 to H5	
Secondar	y Volts		
240		X2 to X3	X1 & X4
120/240		X2 to X3	X1, X3, X4
120		X1 to X3 X2 to X4	X1 & X4

PRIMARY: 208 Volts SECONDARY: 120/240 Volts TAPS: 2, 5% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
208	H1 & H2	3 to 4	
198	H1 & H2	2 to 5	
187	H1 & H2	1 to 6	
Secondary	y Volts	•	
240		X2 to X3	X1-X4
120/240		X2 to X3	X1-X2-X4
120		X1 to X3 X2 to X4	X1-X4

PRIMARY: 208 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2-2 1/2% ANFC and 2-2 1/2% BNFC




Primary Volts	%	Connect Leads to Tap No.
218	105	1
213	102.5	2
208	100	3
203	97.5	4
198	95	5
Secondary Volts		
208		X1, X2, X3
120 1 phase		X1 & X0 X2 & X0 X3 & X0

64 PRIMARY: 190/208/220/240 x 380/440/480 Volts SECONDARY: 120/240 Volts

H1	H2	13 Luulu	H5	H6 Lu	ulu	ulu.	uH9	H10
\rac{1}{1}	mmm	mmm	m	L L	mm	mm	mm	درر آس


Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
190	H1& H7	H1 to H6 H2 to H7	
208	H1 & H8	H1 to H6 H3 to H8	
220	H1 & H9	H1 to H6 H4 to H9	
240	H1& H10	H1 to H6 H5 to H10	
380	H1 & H7	H2 to H6	
416	H1 & H8	H3 to H6	
440	H1 & H9	H4 to H6	
480	H1 & H10	H5 to H6	
Secondar	y Volts		
240		X2 to X3	X1 - X4
120/240		X2 to X3	X1- X2 - X4
120		X1 to X3 X2 to X4	X1 - X4

PRIMARY: 230 Volts Delta SECONDARY: 230Y/133 Volts TAPS: 2-21/2% ANFC and 2-21/2% BNFC



Primary Volts	%	Connect Leads to Tap No.
242	105	1
236	102.5	2
230	100	3
224	97.5	4
219	95	5
Secondary Volts		
230		X1, X2, X3
133 1 phase		X1 & X0 X2 & X0 X3 & X0

PRIMARY: 230 Volts Delta SECONDARY: 230Y/133 Volts TAPS: 1-5% ANFC and 1-5% BNFC



Connect Leads

Volts	%	to Tap No.
241	105	1
230	100	2
218	95	3
Secondary Volts		
230		X1, X2, X3
133 1 phase		X1 & X0 X2 & X0 X3 & X0

65 PRIMARY: 190/200/208/220 x 380/400/416/440 Volts SECONDARY: 110/220 Volts


Primary

X4	X3 X2		X1		
Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To		
190	H1 & H7	H1 to H6 H2 to H7			
200	H1 & H8	H1 to H6 H3 to H8			
208	H1 & H9	H1 to H6 H4 to H9			
220	H1 & H10	H1 to H6 H5 to H10			
380	H1 & H7	H2 to H6			
400	H1 & H8	H3 to H6			
415	H1 & H9	H4 to H6			
440	H1 & H10	H5 to H6			
Secondary	Secondary Volts				
220		X2 to X3	X1-X4		
110/220		X2 to X3	X1-X2-X4		
110		X1 to X3	X1-X4		

120

1 phase

PRIMARY: 416 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 5% BNFC



Primary Volts	Primary Lines To	Inter- Connect	Secondary Lines To	
437	H1, H2, H3	1		
416	H1, H2, H3	2		
395	H1, H2, H3	3		
Secondary Volts				
208			X1, X2, X3	

X1 to X0


X2 to X0

X3 to X0

444


432

PRIMARY: 600 Volts Delta 69 SECONDARY: 240 Delta/120 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC




Primary Volts	%	Connect Leads to Tap No.
630	105	1
615	102.5	2
600	100	3
585	97.5	4
570	95	5
555	92.5	6
540	90	7
Secondary Vo	lts	
240		X1, X2, X3
120		X1, X4, or X2, X4

PRIMARY: 380 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC



1		1 1///
X0 X1	•	X2 X3
Primary Volts	%	Connect Leads to Tap No.
399	105	1
390	102.5	2
380	100	3
371	97.5	4
361	95	5
352	92.5	6
342	90	7
Secondary Volts	i	
208		X1, X2, X3
120 1 phase		X1 to X0 X2 to X0 X3 to X0

PRIMARY: 480 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2-21/2% ANFC, 4, 21/2% BNFC



Secondary	Volts	•	
208			¥1


H1, H2, H3

H1, H2, H3

208		X1, X2, X3
120 1 phase		X1 to X0 X2 to X0 X3 to X0

6

PRIMARY: 240 Volts Delta 70 SECONDARY: 480Y/277 Volts TAPS: 2, 5% BNFC




Primary Volts	%	Connect Leads to Tap No.
240	100	1
228	95	2
216	90	3
Secondary Volts	-	

Secondary voits	
480	X1, X2, X3
277 1 phase	X1 to X0 X2 to X0
1 phase	\\ \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(\) \(

X3 to X0


X3 to X0

PRIMARY: 440 Volts Delta SECONDARY: 220Y/127 Volts TAPS: 2, 5% ANFC & BNFC




X0 X1		A2 A3
Primary Volts	%	Connect Leads to Tap No.
484	110	1
462	105	2
440	100	3
418	95	4
396	90	5
Secondary Volts		
220		X1, X2, X3
127 1 phase		X1 to X0 X2 to X0 X3 to Y0

PRIMARY: 480 Volts Delta SECONDARY: 240 Volts Delta/120 Volts TAPS: 2, 21/2% ANFC, 4, 21/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To	
504	H1, H2, H3	1		
492	H1, H2, H3	2		
480	H1, H2, H3	3		
468	H1, H2, H3	4		
456	H1, H2, H3	5		
444	H1, H2, H3	6		
432	H1, H2, H3	7		
Secondary Volts				
240			X1, X2, X4	
120			X1, X4, or X2, X4	


PRIMARY: 240 Volts Delta SECONDARY: 480Y/277 Volts TAPS: 2, 21/2% ANFC & BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
252	X1, X2, X3	1	
246	X1, X2, X3	2	
240	X1, X2, X3	3	
234	X1, X2, X3	4	
228	X1, X2, X3	5	
Secondar	y Volts		
480			H1, H2, H3
277 1 phase			H1 to H0 H2 to H0

H3 to H0


PRIMARY: 190/200/210/220/ 230/240 Volts Delta SECONDARY: 400Y/231 Volts



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
240	X1, X2, X3	1	
230	X1, X2, X3	2	
220	X1, X2, X3	3	
210	X1, X2, X3	4	
200	X1, X2, X3	5	
190	X1, X2, X3	6	
Secondary	/ Volts		
400			H1, H2, H3
231 1 phase			H1 to H0 H2 to H0 H3 to H0


H₃ to H₀

PRIMARY: 190/200/210/220/ 230/240 Volts Delta SECONDARY: 400Y/231 Volts




Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To	
240	H1, H2, H3	1		
230	H1, H2, H3	2		
220	H1, H2, H3	3		
210	H1, H2, H3	4		
200	H1, H2, H3	5		
190	H1, H2, H3	6		
Secondary Volts				
400			X1, X2, X3	
231 1 phase			X1 to X0 X2 to X0 X3 to X0	

PRIMARY: 400 Volts Delta 76 SECONDARY: 240 Volts Delta/120 Volts TAPS: 2, 5% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To	
400	H1, H2, H3	1		
380	H1, H2, H3	2		
360	H1, H2, H3	3		
Secondary Volts				
240			X1, X2, X3	
120			X1 to X4 or X2 to X4	


PRIMARY: 400 Volts Delta SECONDARY: 240 Delta/120 Volts TAPS: 2, 2 1/2% ANFC, 4, 2 1/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
420	H1, H2, H3	1	
410	H1, H2, H3	2	
400	H1, H2, H3	3	
390	H1, H2, H3	4	
380	H1, H2, H3	5	
370	H1, H2, H3	6	
360	H1, H2, H3	7	


Secondary Volts			
240			X1, X2, X3
120			X1 to X4 or X2 to X4

PRIMARY: 277/480 Volts SECONDARY: 208/277 Volts TAPS: NONE



	Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To
	277	H1 & H2		
	480	H1 & H3		
Secondary Volts				
	208			X1 to X2
	277			X1 to X3


SECONDARY: 208/277 Volts TAPS: NONE



PRIMARY: 277/480 Volts


Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To		
277	H1 - H5	H2 to H4			
480	H1 - H6	H3 to H4			
Secondary Volts					
208		X2 to X4	X1- X5		
277		X3 to X4	X1- X6		

PRIMARY: 480 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 1-5% ANFC & 1-5% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To		
504	H1, H2, H3	1			
480	H1, H2, H3	2			
456	H1, H2, H3	3			
Secondary Volts					
208			X1, X2, X3		
120 1 phase			X1 to X0 X2 to X0 X3 to X0		

PRIMARY: 480 Volts Delta SECONDARY: 208Y/120 Volts TAPS: 2, 2 1/2% ANFC, 2, 2 1/2% BNFC



Primary Volts	Connect Primary Lines To	Inter- Connect	Connect Secondary Lines To		
504	H1, H2, H3	1			
492	H1, H2, H3	2			
480	H1, H2, H3	3			
468	H1, H2, H3	4			
456	H1, H2, H3	5			
Secondary Volts					
208			X1, X2, X3		
120 1 phase			X1 to X0 X2 to X0 X3 to X0		